

**From:** [Mueller, Brian](#)  
**To:** [Moran, Gloria](#)  
**Subject:** FW: Falcon Refinery RI/FS (TO088) - Request for PRP Lab Data  
**Date:** Monday, August 04, 2014 9:20:00 AM

---

**From:** Halasz, Stephen [mailto:SHalasz@trcsolutions.com]  
**Sent:** Thursday, July 17, 2014 2:49 PM  
**To:** Mueller, Brian; Jonathan Carroll  
**Cc:** Moran, Gloria; Werner, Robert; Moore, Gary  
**Subject:** RE: Falcon Refinery RI/FS (TO088) - Request for PRP Lab Data

Brian,

We provided all the lab data electronically to Rafael Casanova on several occasions. Initially as the data were received, in our electronic reporting of the reports and finally when EA was awarded the work.

Jonathan,

Please provide the EPA authorization to contact Accutest Laboratory for the sampling data.

---

**From:** Mueller, Brian [mailto:[Mueller.Brian@epa.gov](mailto:Mueller.Brian@epa.gov)]  
**Sent:** Thursday, July 17, 2014 2:45 PM  
**To:** Jonathan Carroll  
**Cc:** Halasz, Stephen; Moran, Gloria; Werner, Robert; Moore, Gary  
**Subject:** FW: Falcon Refinery RI/FS (TO088) - Request for PRP Lab Data

Dear Mr. Carroll

Can you please review the request that EPA received from our contractor working on the Remedial Investigation at the Falcon Site. They are requesting the actual data that the lab sent to NORCO as pdf copies of the phase II RI work conducted by Kleinfelder. Please let me know if you have any questions or concerns about this request.

Thanks

Brian W Mueller RPM

EPA R6 Superfund

214 665-7167

---

**From:** Owens, Robert [mailto:[rowens@eaest.com](mailto:rowens@eaest.com)]  
**Sent:** Thursday, July 17, 2014 1:33 PM  
**To:** Mueller, Brian  
**Subject:** Falcon Refinery RI/FS (TO088) - Request for PRP Lab Data

Brian:

We are in the process of reviewing the recently received pdf copies of the laboratory reports from the initial sampling at the Falcon Refinery site by the PRPs. The electronic deliverable from the lab for this data would help us considerably in completing the RI for the site. They would allow us to directly load the PRP generated data into our database reducing the level of effort and possible errors of hand loading the data from the pdf copies. Please request the electronic deliverables from the PRPs. If they do not have them, request that they provide permission for Accutest to provide the deliverables to us. We can work directly with the lab if the PRPs grant permission.

Please let me know if you have any questions or need anything else.

Thank you,

Bob Owens

**EA Engineering, Science, and Technology, Inc.**

405 S. Highway 121, Building C, Suite 100

Lewisville, TX 75067



9560868

972-315-3922 ext 1210  
Direct: 972-538-2701  
Mobile: 972-989-7956  
Fax: 972-315-5181